



Office Partitioning Catalogue 2016

Crystal Single Glazed, Crystal Double Glazed & Finesse Fire & Sound Partitioning Systems.

BAL'S MOST POPULAR SELLING SECTIONS

Our most popular sections all in one place.

CRYSTAL SINGLE GLAZED

Suitable for full height glass from 10mm to 12.8mm glass.

25mm wide framework clip fits to drywall and double glazed parts.

Purpose made door stop and door frame kits are available ex stock.

RAL 9010 and RAL 9006 part are held in stock.

All aluminium parts can be supplied unpainted in Mill finish for customer own finishing.

SAA and any standard RAL colour is available at extra price.

CRYSTAL DOUBLE GLAZED

Suitable for full height glass from 6mm to 12.8mm glass.

88mm wide framework clip fits to drywall and single glazed parts.

Purpose made door stop and door frame kits are available ex stock.

RAL 9010 and RAL 9006 part are held in stock.

All aluminium parts can be supplied unpainted in Mill finish for customer own finishing.

SAA and any standard RAL colour is available at extra price.

FINESSE FIRE AND SOUND

Suitable for full height or part height 75mm, 100mm or 120mm drywall.

Suitable for 6.0mm to 8.8mm full height or part height central or offset single glazing.

Suitable for 6.0mm to 8.8mm full height or part height double glazing with or without blinds.

Fire certified for 60 minutes with full height drywall.

Fire certified for 30 minutes with full/part height glazing.

Framework clip fits to double and single glazed parts.

Purpose made door stop and door frame kits are available ex stock.

RAL 9010 and RAL 9006 parts are held in stock.

All aluminium parts can be supplied unpainted in Mill finish for customer own finishing.

SAA and any standard RAL colour is available at extra price.

PRICES

All prices shown in this document are net.

All prices exclude VAT and delivery costs.

Costs of delivery direct to site or your warehouse is based upon the weight of the product to be shipped.

Please call sales office for confirmation of delivery charges.

Colour indicates the system that the part is designed to be used with. When more than one colour is displayed against a part, it shows that the part may be used on more than one system.

BAL Office Partitioning (Part of BAL Group Ltd)

Units 1-3 Farrow Road, Great Barr, Birmingham B44 9HE

Tel: 0121 325 2309

Fax: 0121 608 2626


email: steve@balofficepartitioning.com

www.balofficepartitioning.com

BAL Office Partitioning

| | | BALC | OFFICE PARTI | TIONING - POP | ULAR SECTIONS | 5 | |
|---------------|----------------|-------------------|------------------------|--------------------------------------------|----------------------------------------------------|--------------|------------|
| SINGLE GL | AZED SECTIONS | | | | | | |
| Part No. | Image | Range | Name | Description | Use With | Finish | Length Mtr |
| LOOR ABUTMENT | | • | CRYSTAL SINGLE G | IAZED | | 25mm overall | |
| | P | | | | | Mill | 3.65 |
| CA601 | | Crystal Single | Base Section | for full height Single | Use with 10mm, 10.8mm, 12mm or | RAL9010 | 3.65 |
| CAUUI | | Glazed | Base Section | glazed applications | 12.80mm glass | RAL9006 | 3.65 |
| | | | | | 0.000 | Other RAL | 3.65 |
| FLOOR ABUT | MENT | • • | CRYSTAL SINGLE 8 | DOUBLE GLAZED | | | |
| | | Crystal | | | | Mill | 3.65 |
| CGD145 | ~ | Single and | Base Bead | for full height single glazed | Use with CA601 or | RAL9010 | 3.65 |
| CGD145 | D145 | Double | base beau | applications | CGD140 | RAL9006 | 3.65 |
| | | Glazed | | | | Other RAL | 3.65 |
| CEILING & W | ALL ABUTMENT | • | CRYSTAL SINGLE G | LAZED ONLY | | 25mm overall | |
| | | | | | | Mill | 3.05 |
| CA620 | | Crystal Single | Head & Wall Section | for full height Single glazed applications | Use with 10mm, 10.8mm, 12mm or 12.80mm glass | RAL9010 | 3.05 |
| CA620 | | Glazed | | | | RAL9006 | 3.05 |
| | L 1 | | | | | Other RAL | 3.05 |
| CEILING & W | ALL ABUTMENT | • | CRYSTAL SINGLE G | LAZED ONLY | | 25mm overall | |
| | | | | | | Mill | 3.65 |
| CA620 | | Crystal | Head & Wall | for full height Single | Use with 10mm, 10.8mm, 12mm or | RAL9010 | 3.65 |
| CABZU | | Single Glazed | Section | glazed applications | 10.8mm, 12mm or 12.80mm glass | RAL9006 | 3.65 |
| | | | | | | Other RAL | 3.65 |
| DOUBLE G | LAZED SECTIONS | | | | | | |
| Part No. | Image | Range | Name | Description | Use With | Finish | Length Mtr |
| CEILING & W | ALL ABUTMENT | • | CRYSTAL DOUBLE | GLAZED ONLY | | 88mm overall | |
| | | | | | | Mill | 3.00 |
| | | Crystal | | for full height | Use with 6mm. 8mm. | | |

| | | | | | | Mill | 3.00 |
|-------------------------|----------|-------------------|------------------|----------------------------------|------------------------------------|--------------|------|
| CGD130 | | Crystal Double | Head & Wall | for full height | Use with 6mm, 8mm, | RAL9010 | 3.00 |
| CGD130 | L Lund ! | Glazed | Channel | double glazed applications | 10mm, 12mm & 12.8mm glass | RAL9006 | 3.00 |
| | | | | | | Other RAL | 3.00 |
| CEILING & WALL ABUTMENT | | • | CRYSTAL DOUBLE | GLAZED ONLY | | 88mm overall | |
| | | Creveter | | for full beight | Line with Create Drame | Mill | 3.60 |
| CGD130 | | Crystal Double | Head & Wall | for full height double glazed | Use with 6mm, 8mm, 10mm, 12mm & | RAL9010 | 3.60 |
| 000130 | | Glazed | Channel | applications | 12.8mm glass | RAL9006 | 3.60 |
| | | | | | 0 | Other RAL | 3.60 |
| FLOOR ABUT | MENT | • | CRYSTAL DOUBLE | GLAZED | · | 88mm overall | |
| | | | | | | Mill | 3.60 |
| 660440 | | Crystal | Deve Chair | for full height | 6mm, 8mm, 10mm, | RAL9010 | 3.60 |
| CGD140 | | Double Glazed | Base Chair | double glazed applications | 12mm & 12.8mm glass | RAL9006 | 3.60 |
| | | | | | | Other RAL | 3.60 |
| FLOOR ABUT | MENT | • • | CRYSTAL SINGLE & | DOUBLE GLAZED | | | |
| | | Crystal | | | | Mill | 3.65 |
| | ~ | Single | | for full height | Use with CA601 or | RAL9010 | 3.65 |
| CGD145 | p | and Double | Base Bead | single glazed applications | CGD140 | RAL9006 | 3.65 |
| | | Glazed | | applications | | Other RAL | 3.65 |
| | | | 1 | | 1 | | |



| | | | CRYSTAI | SINGLE GLAZED SECT | HONS | | |
|--------------|-----------------|----------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------|--------------------------------------|
| Part No. | Image | Range | Name | Description | Use With | Finish | Length mtr |
| FLOOR ABUT | MENT | • | CRYSTAL SINGLE G | LAZED | | 25mm overall | |
| CA601 | | Crystal Single Glazed | Base Section | for full height Single glazed applications | Use with 10mm, 10.8mm, 12mm or 12.80mm glass | Mill RAL9010 RAL9006 | 3.65 3.65 3.65 |
| FLOOR ABUT | MENT | • • | CRYSTAL SINGLE & | DOUBLE GLAZED | | Other RAL | 3.65 |
| CGD145 | ~ | Crystal Single and Double Glazed | Base Bead | for full height single glazed applications | Use with CA601 or CGD140 | Mill RAL9010 RAL9006 Other RAL | 3.65 3.65 3.65 3.65 |
| CEILING & WA | ALL ABUTMENT | | CRYSTAL SINGLE G | LAZED ONLY | | 25mm overall | 5.05 |
| CA620 | | Crystal Single Glazed | Head & Wall Section | for full height Single glazed applications | Use with 10mm, 10.8mm, 12mm or 12.80mm glass | Mill RAL9010 RAL9006 Other RAL | 3.05 3.05 3.05 3.05 |
| CEILING & WA | ALL ABUTMENT | • | CRYSTAL SINGLE G | LAZED ONLY | | 25mm overall | 0.00 |
| CA620 | | Crystal Single Glazed | Head & Wall Section | for full height Single glazed applications | Use with 10mm, 10.8mm, 12mm or 12.80mm glass | Mill RAL9010 RAL9006 Other RAL | 3.65 3.65 3.65 3.65 |
| CEILING DEFL | ECTION HEAD | • | CRYSTAL SINGLE G | LAZED ONLY | | 25mm overall | |
| CA621 | | Single Glazed | Deflection Head Section | for full height Single glazed applications | Use with CA620 | Mill RAL9010 RAL9006 Other RAL | 3.60 3.60 3.60 <u>3.60</u> |
| POST | | • | CRYSTAL SINGLE G | LAZED | | 25mm overall | |
| CA630 | | Single Glazed | Main Section | End of Run Post for Glass Door Stop. | Use with CA640 Blank infill | Mill RAL9010 RAL9006 Other RAL | 3.25 3.25 3.25 3.25 3.25 |
| INFILL | | • | CRYSTAL SINGLE G | LAZED | | 25mm overall | |
| CA640 | | Crystal Single Glazed | Blank Infill | Infill piece to enclose open head or vertical post. | Use with CA620 Head & Wall Section or CA630 Main Section. | Mill RAL9010 RAL9006 Other RAL | 3.25 3.25 3.25 3.25 3.25 |
| REDUCING AD | DAPTER | • • | CRYSTAL SINGLE G | LAZED to FINESSE | | 25mm overall | |
| CA664 | | Finesse to Single Glazed | Curved Adapter for Finesse Range | Adapter to permit a direct connection to Drywall application. | Use with FA500, FA510, FA550, FA560, FA570, FA580 & FA590. | Mill RAL9010 RAL9006 Other RAL | 3.20 3.20 3.20 3.20 3.20 |
| REDUCING AD | DAPTER | • • | CRYSTAL SINGLE G | LAZED to FINESSE | | 25mm overall | |
| CA665 | | Finesse to Single Glazed | Flat Adapter for Finesse Range | Adapter to permit a direct connection to Drywall application. | Use with FA500, FA510, FA550, FA560, FA570, FA580 & FA590. | Mill RAL9010 RAL9006 Other RAL | 3.20 3.20 3.20 3.20 3.20 |
| GLAZED SECT | ION | • | CRYSTAL SINGLE G | LAZED ONLY | | 75mm overall | 5.20 |
| CA675 | | Crystal Single Glazed | 75mm Solid to Glazed Section | Post allowing direct transition from 75mm solid elevations to single glazed. | Use with CGD070 & Crystal Head & Wall section and CA601 & CA620 | Mill RAL9010 RAL9006 Other RAL | 3.65 3.65 3.65 3.65 |
| DOOR STOP 1 | .0mm GLASS DOOR | • | CRYSTAL SINGLE G | - | | 100mm overall | 0.00 |
| CA677 | | Crystal Single Glazed | 100mm Solid to Glazed Section | Post allowing direct transition from 100mm solid elevations to single glazed. | Use with CGD070 & Crystal Head & Wall section and CA601 & CA620 | Mill RAL9010 RAL9006 Other RAL | 3.65 3.65 3.65 3.65 |

| | | | CRYSTAL | DOUBLE GLAZED SEC | TIONS | | |
|-------------|---------------------|-------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------|
| Part No. | Image | Range | Name | Description | Use With | Finish | Length mtr |
| CEILING & W | ALL ABUTMENT | • | FINESSE 75mm SY | STEM | | 88mm overall | |
| CGD070 | | Finesse | 75mm Head & Wall Section | Solid elevations used with Finesse, Crystal and Crystal DG. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532. | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 |
| ADAPTER | | • • | CRYSTAL DOUBLE | L GLAZED TO 75mm FIN | | Other fore | 5.00 |
| CGD071 | | Crystal Double Glazed to Finesse | 75mm Internal 3 Way Adapter | Use to provide 3 Way internal junction from 75mm solid elevations to Crystal DG wall. | Use with CGD70 & Crystal head & wall section. | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 |
| CEILING & W | ALL ABUTMENT | • | FINESSE 100mm S | | | 113mm overall | |
| CGD090 | | Finesse | 100mm Head & Wall Section | Solid elevations used with Finesse, Crystal & Crystal DG. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 |
| DAPTER | | • • | CRYSTAL DOUBLE | GLAZED TO 100mm FI | NESSE | | |
| CGD091 | | Crystal Double Glazed to Finesse | 100mm Internal 3 Way Adapter | Use to provide 3 Way internal junction from 100mm solid elevations to Crystal | Use with CGD90 & Crystal head & wall section. | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 3.00 |
| POST | | • | CRYSTAL DOUBLE | GLAZED | | 88mm overall | |
| CGD120 | | Crystal Double Glazed | Main Post | End of Glazed run, accepts clip fit Finesse FA532 door stop. | Use with FA532 Finesse Door Stop. | Mill RAL9010 RAL9006 Other RAL | 3.10 3.10 3.10 3.10 3.10 |
| RANSITION | POST (CLIP OVER) | • • | FINESSE 75mm TO | DOUBLE GLAZED | | 88mm overall | • |
| CGD123 | | Finesse to Crystal Double Glazed | 75mm Solid to Glazed Post | Post allowing direct transition from 75mm solid elevations to double glazed. | Use with CGD130 head track and CGD140 floor track. | Mill RAL9010 RAL9006 Other RAL | 3.65 3.65 3.65 3.65 3.65 |
| RANSITION | POST (CLIP OVER) | • • | FINESSE 100mm T | O DOUBLE GLAZED | | | |
| CGD125 | | Finesse to Crystal Double Glazed | 100mm Solid to Glazed Post | Post allowing direct transition from 100mm solid elevations to double glazed. | Use with CGD130 head track and CGD140 floor track. | Mill RAL9010 RAL9006 Other RAL | 3.65 3.65 3.65 <u>3.65</u> |
| RANSITION | POST (TAPED & SKIM) | • • | FINESSE 100mm T | O DOUBLE GLAZED | | | |
| CGD127 | | Finesse to Crystal Double Glazed | 100mm End Cap | Post allowing direct transition from 100mm drywall to double glazed. | Use with CGD130 head track and CGD140 floor track. | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 |
| RANSITION | POST (TAPED & SKIM) | • • | FINESSE 120mm 1 | O DOUBLE GLAZED | | | |
| CGD129 | רבי דבוץ | Finesse to Crystal Double Glazed | 120mm End Cap | Post allowing direct transition from 120mm drywall to double glazed | Use with CGD130 head track and CGD140 floor track. | Mill RAL9010 RAL9006 Other RAL | 3.30 3.30 3.30 3.30 3.30 |
| EILING & W | ALL ABUTMENT | • | CRYSTAL DOUBLE | GLAZED ONLY | | 88mm overall | |
| CGD130 | | Crystal Double Glazed | Head & Wall Channel | for full height double glazed applications | Use with 6mm, 8mm, 10mm, 12mm & 12.8mm glass | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 3.00 |
| | | | CRYSTAL DOUBLE | GLAZED ONLY | 1 | 88mm overall | |
| EILING & W | ALL ABUTMENT | | CITISTAL DOODLL | | | | |

| | | | CRYSTAL | DOUBLE GLAZED SEC | TIONS | | |
|--------------|-------------|----------------------------------------------|-----------------------------|--------------------------------------------------------------------------------|----------------------------------------|-----------------------------------------|--------------------------------------|
| Part No. | Image | Range | Name | Description | Use With | Finish | Length mtr |
| CEILING DEFL | ECTION HEAD | • | CRYSTAL DOUBLE | GLAZED | | | |
| CGD131 | | Crystal Double Glazed | Deflection Head Section | for full height Double Glazed Applications | use with CGD130 | Mill RAL9010 RAL9006 Other RAL | 3.60 3.60 3.60 3.60 |
| ADAPTER | | • | CRYSTAL DOUBLE | GLAZED TO FINESSE D | OOR STOP | | |
| CGD133 | ,Γ | Crystal Double Glazed | Full Height Door Adapter | Adapter clips into CGD 130 Head Track when using FA532 Door Stop Kit. | Use with all CGD130 & FA532. | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 |
| FLOOR ABUT | MENT | • | CRYSTAL DOUBLE | GLAZED | | 88mm overall | |
| CGD140 | | Crystal Double Glazed | Base Chair | for full height double glazed applications | 6mm, 8mm, 10mm, 12mm & 12.8mm glass | Mill RAL9010 RAL9006 Other RAL | 3.60 3.60 3.60 3.60 |
| FLOOR ABUT | MENT | • • | CRYSTAL SINGLE & | DOUBLE GLAZED | | | |
| CGD145 | ~ | Crystal Single and Double Glazed | Base Bead | for full height single glazed applications | Use with CA601 or CGD140 | Mill RAL9010 RAL9006 Other RAL | 3.65 3.65 3.65 3.65 |
| POST | • | • | CRYSTAL DOUBLE | GLAZED | | | |
| CGD160 | | Crystal Double Glazed | Mullion Post | Intermediate Mullion Post | Use with CGD164 Mullion Post Cap | Mill RAL9010 RAL9006 Other RAL | 3.10 3.10 3.10 3.10 3.10 |
| POST | | • | CRYSTAL DOUBLE | GLAZED | | | |
| CGD164 | T | Crystal Double Glazed | Mullion Cover | Cover for Internal Mullion Post. | Use with CGD160 Mullion Post | Mill RAL9010 RAL9006 Other RAL | 3.10 3.10 3.10 3.10 3.10 |
| BRACKET | | • | CRYSTAL DOUBLE | GLAZED | | | |
| CGD168 | | Crystal Double Glazed | Mullion Bracket | 45mm | Use with CGD160 Mullion Post | Mill RAL9010 RAL9006 Other RAL | 45mm N/A N/A N/A |

| | | | FI | NESSE FIRE & SOUND | | | |
|-------------|-------------------|------------------------------------------|------------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------|
| Part No. | Image | Range | Name | Description | Use With | Finish | Length mtr |
| END CAP (TA | PED & SKIM) | • | FINESSE 100mm T | APED & SKIMMED WA | ALL | | |
| FA130 | Ţ ^ĸ ſ | Finesse | 100mm End Cap | End Cap to 100mm tapped and skimmed drywall | Use with ALL finesse glazed sections, CA664, CA665 and FA542 & FA540 infills to adapt from 100mm tape to skimmed drywalls. | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 3.00 |
| END CAP (TA | PED & SKIM) | • | FINESSE 100mm T | APED & SKIMMED WA | ALL | | |
| FA130 | ٢٠٠٠٠٠٠٠٠٠٠٠٠ | Finesse | 100mm End Cap | End Cap to 100mm tapped and skimmed drywall | Use with ALL finesse glazed sections, CA664, CA665 and FA542 & FA540 infills to adapt from 100mm tape to skimmed drywalls. | Mill RAL9010 RAL9006 Other RAL | 3.60 3.60 3.60 3.60 3.60 |
| END CAP (TA | PED & SKIM) | • | FINESSE 120mm T | APED & SKIMMED WA | ALL | | |
| FA140 | | Finesse | 120mm End Cap | End Cap to 120mm tapped and skimmed drywall | Use with ALL finesse glazed sections, CA664, CA665 and FA542 & FA540 infills to adapt from 120mm tape to skimmed drywalls. | Mill RAL9010 RAL9006 Other RAL | 3.60 3.60 3.60 3.60 |
| POST | | • • • | FINESSE 75mm + I | L DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA500 | | Finesse & Crystal Double Glazed | Strong Post | Intermediate mullion post for full height glazed to full height door sets. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 2.70 2.70 2.70 2.70 |
| POST | | • • • | FINESSE 75mm + | DOUBLE GLAZED + SIN | IGI E GLAZED. | 88mm overall | 2.70 |
| FA500 | | Finesse & Crystal Double Glazed | Strong Post | Intermediate mullion post for full height glazed to full height door sets. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 |
| POST | | • • • | FINESSE 75mm + I | L DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA500 | ļ | Finesse & Crystal Double Glazed | Strong Post | Intermediate mullion post for full height glazed to full height door sets. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.60 3.60 3.60 <u>3.60</u> <u>3.60</u> |
| FLOOR ABUT | MENT/MULLION POST | • | FINESSE 75mm | | | 88mm overall | |
| FA510 | | Finesse | Main Section | Head & Wall section, Vertical posts or transoms to accept FA532 and clip in glazing chairs. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 2.70 2.70 2.70 2.70 2.70 |
| FLOOR ABUT | MENT/MULLION POST | • | FINESSE 75mm | | • | 88mm overall | |
| FA510 | | Finesse | Main Section | Head & Wall section, Vertical posts or transoms to accept FA532 and clip in glazing chairs. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 <u>3.00</u> |
| FLOOR ABUT | MENT/MULLION POST | • | FINESSE 75mm | | | 88mm overall | |
| FA510 | | Finesse | Main Section | Head & Wall section, Vertical posts or transoms to accept FA532 and clip in glazing chairs. | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.60 3.60 3.60 <u>3.60</u> <u>3.60</u> |

| | | | FII | NESSE FIRE & SOUND | | | |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|---------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------|
| Part No. | Image | Range | Name | Description | Use With | Finish | Length mtr |
| SPLICING PLA | ſΤΕ | • | ALUMINIUM FINES | SE INSERT | | | |
| FA515 | | Finesse | 90mm Splicing Plate | Joining piece used to ensure alignment between all horizontal FA510 sections. | Fits into FA510 (Must always be used) | Mill RAL9010 RAL9006 Other RAL | 90mm 90mm 90mm 90mm |
| INFILL | | • • | FINESSE 75mm & I | DOUBLE GLAZED | | | |
| FA540 | | Finesse & Crystal Double Glazed | Curved Infill | Infill piece to enclose open face FA500, FA510 and junction posts. | Use with FA500, FA510, FA550, FA560, FA570, FA580 & FA590 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 3.00 |
| INFILL | | • • | FINESSE 75mm & I | DOUBLE GLAZED | <u> </u> | | |
| FA542 | 7 | Finesse & Crystal Double Glazed | Flat Infill | Infill piece to enclose open face FA500, FA510 and junction posts. | Use with FA500, FA510, FA550, FA560, FA570, FA580 & FA590 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 3.00 |
| CORNER & JU | ICTION POSTS | • • • | FINESSE 75mm + I | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA550 | the state of the s | All | 45° / 135° Corner Post | Corner Post | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 2.70 2.70 2.70 2.70 2.70 |
| CORNER & JU | ICTION POSTS | • • • | FINESSE 75mm + I | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA550 | | All | 45° / 135° Corner Post | Corner Post | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 3.00 |
| CORNER & JU | ICTION POSTS | • • • | FINESSE 75mm + I | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA560 | | All | 90° Corner Post | Corner Post | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 2.70 2.70 2.70 2.70 2.70 |
| CORNER & JU | ICTION POSTS | • • • | FINESSE 75mm + I | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA560 | | All | 90° Corner Post | Corner Post | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 |
| CORNER & JU | ICTION POSTS | • • • | FINESSE 75mm + I | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA570 | | All | 3 - Way Box Post | Junction Post | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 2.70 2.70 2.70 2.70 2.70 |
| CORNER & JU | ICTION POSTS | • • • | FINESSE 75mm + I | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| FA570 | | All | 3 - Way Box Post | Junction Post | Use with ALL Finesse glazed sections, CA664, CA665 and FA542 & FA540 infills and FA532 | Mill RAL9010 RAL9006 Other RAL | 3.00 3.00 3.00 3.00 3.00 |

| | | | FI | NESSE FIRE & SOUND | | | |
|-------------|--------------|------------------|------------------|----------------------------------|----------------------------------------------|--------------|-------------|
| Part No. | Image | Range | Name | Description | Use With | Finish | Length mtr |
| | | | | Description | | FIIISI | Length Intr |
| CORNER & JL | JCTION POSTS | • • • | FINESSE 75mm + | DOUBLE GLAZED + SIN | IGLE GLAZED. | | |
| | * y | | | | Use with ALL Finesse | Mill | 2.70 |
| FA580 | | All | 3 - Way "Y" Post | Junction Post | glazed sections, CA664, CA665 and FA542 & | RAL9010 | 2.70 |
| | Ţ | | | | FA540 infills and FA532 | RAL9006 | 2.70 |
| | đ <u>×</u> | | | | | Other RAL | 2.70 |
| CORNER & JL | JCTION POSTS | • • • | FINESSE 75mm + | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| | 1 × | | | | Use with ALL Finesse | Mill | 3.00 |
| FA580 | | All | 3 - Way "Y" Post | Junction Post | glazed sections, CA664, | RAL9010 | 3.00 |
| |] | | | | CA665 and FA542 & FA540 infills and FA532 | RAL9006 | 3.00 |
| | <u> </u> | | | | | Other RAL | 3.00 |
| CORNER & JU | ICTION POSTS | • • • | FINESSE 75mm + | DOUBLE GLAZED + SIN | IGLE GLAZED. | 88mm overall | |
| | 3 | | | | Use with ALL Finesse | Mill | 3.60 |
| FA590 | k 5 | All | 3 - Way "T" Post | Junction Post | glazed sections, CA664, | RAL9010 | 3.60 |
| | k A | | , | | CA665 and FA542 & FA540 infills and FA532 | RAL9006 | 3.60 |
| | 2 | | | | | Other RAL | 3.60 |
| CEILING & W | ALL ABUTMENT | • | FINESSE 75mm or | 100mm or 120mm | | | |
| | | | | | | Mill | 3.60 |
| F4685 | | Finesse | Abutment trim | for Drywall | Use with 2 or 4 x | RAL9010 | 3.60 |
| 14005 | FA685 | Finesse | 40mm | applications. | 12.5mm drywall panels | RAL9006 | 3.60 |
| | | | | | | Other RAL | 3.60 |
| WALL ABUTN | /IENT | • | FINESSE 75mm or | 100mm or 120mm | · | | |
| | | | | | | Mill | 3.00 |
| FA690 | | Financa | 22mm Courstrim | for Drywall | Use with 2 or 4 x | RAL9010 | 3.00 |
| FA690 | | Finesse | 33mm Cover trim | applications. | 12.5mm drywall panels | RAL9006 | 3.00 |
| | | | | | | Other RAL | 3.00 |
| WALL ABUTN | /ENT | • | FINESSE 75mm or | 100mm or 120mm | | | |
| | | | | | | Mill | 3.60 |
| 54,600 | | | | for Drywall | Use with 2 or 4 x | RAL9010 | 3.60 |
| FA690 | | Finesse | 33mm Cover Trim | applications. | 12.5mm drywall panels | RAL9006 | 3.60 |
| | | | | | | Other RAL | 3.60 |
| OUTER GLAZ | ING BEAD | • | ALUMINIUM FINES | SSE INSERT | | | |
| | | | | | | Mill | 3.00 |
| | | Finesse | Outer Glazing | Aluminium Glazing | | RAL9010 | 3.00 |
| FA900 | 2 | Double Glazed | Bead | Bead for 6.00mm to 10.8mm glass | Use with FA910 | RAL9006 | 3.00 |
| | | 5.0200 | | | | Other RAL | 3.00 |
| ADAPTER | | • | ALUMINIUM FINES | SSE INSERT 6.0mm to | 10.8mm GLASS | | |
| | | | | | | Mill | 3.60 |
| | <u> </u> | Finesse | Standard Glazing | - | Use with FA500, FA510, | RAL9010 | 3.60 |
| FA910 | | Double Glazed | Chair | Chair for 6.00mm to 10.8mm glass | FA550, FA560, FA570, FA580 & FA590 | RAL9006 | 3.60 |
| | | JIALEU | | 10.01111 glass | 1 A330 & 1 A330 | Other RAL | 3.60 |
| FLOOR SKIRT | ING | • | FINESSE 75mm or | 100mm or 120mm | I | | |
| | | | | | | Mill | 3.00 |
| | | | Reversible | | Lico with ED001 alia in | RAL9010 | 3.00 |
| FA990 | | Finesse | Skirting | for solid elevations | Use with FP991 clip in skirting insert. | RAL9006 | 3.00 |
| | | | - | | | Other RAL | 3.00 |
| | | | | | | Other NAL | 5.00 |

| | AZED DOOK FRA | ME KIT - CA657 T | imper Door | Any frame size can be made please contact for price | | | | | |
|------------------|---------------|------------------|------------|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|------------------|---------------|--|--|
| SINGLE G | LAZED DOOR FI | RAME KIT TI | MBER DOOR | DOOR FRAME KITS FOR SINGLE GLAZED APPLICATION | | | | | |
| | 12mm glass | | X | Kit includes 2, 3,4 or Shoulder brackets an | nd cut hinge post, lock po 8 hinges, strike plate and d bottom fixing kit also s with full height doors. | l closing strip. | | | |
| Door Leaves | Door Leaf Di | mensions mm | Door Type | Handing | Number of Hinges | Finish | Price per Kit | | |
| Door Leaves | Height | Width | Boor Type | nunung | Number of Tinges | TINST | Thee per kit | | |
| Single | 1981 | 838 | Timber | Left or Right | 2 | Mill | £134.73 | | |
| Single | 1981 | 838 | Timber | Left or Right | 2 | RAL 9010 or 9006 | £142.35 | | |
| Single | 2040 | 926 | Timber | Left or Right | 3 | Mill | £141.74 | | |
| Single | 2040 | 926 | Timber | Left or Right | 3 | RAL 9010 or 9006 | £149.35 | | |
| Single | 2041 - 2400 | 926 | Timber | Left or Right | 3 | Mill | £157.95 | | |
| Single | 2041 - 2400 | 926 | Timber | Left or Right | 3 | RAL 9010 or 9006 | £166.93 | | |
| | 2401 - 2700 | 926 | Timber | Left or Right | 4 | Mill | £164.96 | | |
| Single | 2401 - 2700 | 926 | Timber | Left or Right | 4 | RAL 9010 or 9006 | £173.93 | | |
| Single Single | 2101 2700 | | | | 0 | Mill | C200 C1 | | |
| | 2401 - 2700 | 926 - 1852 | Timber | Reversible | 8 | IVIIII | £209.61 | | |

| | AZED DOOR FRA | ME KIT - CA657 G | ilass Door | | Any frame size can | be made please co | ntact for price | | |
|--------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------|----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|--|--|
| SINGLE GL | AZED DOOR F | RAME KIT GI | LASS DOOR | DOOR FRAME KITS FOR SINGLE GLAZED APPLICATION | | | | | |
| 12mm | | | | Kit includes mitred ar Kit includes 2, 3,4 or Shoulder brackets an | 2mm thick Glass Door. nd cut hinge post, lock po 8 hinges, strike plate and d bottom fixing kit also so I with full height doors. Ised is CA657. | closing strip. | | | |
| Deerleeve | Door Leaf Di | mensions mm | | | | | | | |
| Door Leaves | | 1 | Door Type | Handing | Number of Hinges | Finish | Price per Kit | | |
| Door Leaves | Height | Width | | | Number of Hinges | | | | |
| Single | Height 1981 | Width 838 | Door Type Glass | Handing Left or Right | Number of Hinges 2 | Finish Mill | Price per Kit £199.83 | | |
| | - | | | | | | | | |
| Single | 1981 | 838 | Glass | Left or Right | 2 | Mill | £199.83 | | |
| Single Single | 1981 1981 | 838 838 | Glass Glass | Left or Right Left or Right | 2 2 | Mill RAL 9010 or 9006 | £199.83 £207.44 | | |
| Single Single Single | 1981 1981 2040 | 838 838 926 | Glass Glass Glass | Left or Right Left or Right Left or Right | 2 2 3 | Mill RAL 9010 or 9006 Mill | £199.83 £207.44 £241.18 | | |
| Single Single Single Single | 1981 1981 2040 2040 | 838 838 926 926 | Glass Glass Glass Glass Glass | Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 | £199.83 £207.44 £241.18 £248.79 | | |
| Single Single Single Single Single | 1981 1981 2040 2040 2041 - 2400 | 838 838 926 926 926 | Glass Glass Glass Glass Glass Glass | Left or Right Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 3 3 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill | £199.83 £207.44 £241.18 £248.79 £264.75 | | |
| Single Single Single Single Single Single | 1981 1981 2040 2040 2041 - 2400 2041 - 2400 | 838 838 926 926 926 926 926 | Glass Glass Glass Glass Glass Glass Glass | Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 3 3 3 3 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 | £199.83 £207.44 £241.18 £248.79 £264.75 £273.98 | | |
| Single Single Single Single Single Single Single | 1981 1981 2040 2040 2041 - 2400 2041 - 2400 2401 - 2700 | 838 838 926 926 926 926 926 926 | Glass Glass Glass Glass Glass Glass Glass Glass | Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 3 3 3 4 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill | £199.83 £207.44 £241.18 £248.79 £264.75 £273.98 £298.74 | | |

| SINGLE GI | AZED DOOR FF | | IBER DOORS | DOOR FRAME KITS FOR SINGLE GLAZED APPLICATION | | | | | |
|------------------|-------------------------|----------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|---------------|--|--|
| 12mm | glass | | | Use with 40 - 44mm thick timber door. Kit includes mitred and cut hinge post, lock post and door head. Kit includes 2, 3, 4 or 8 hinges, strike plate and closing strip. Shoulder brackets and bottom fixing brackets also included. Top fixing kit supplied with full height doors. Door Frame section used is CA658 | | | | | |
| oor Leaves | Door Leaf Die Height | mensions mm Width | Door Type | Handing | Number of Hinges | Finish | Price per Kit | | |
| Single | 1981 | 838 | Timber | Left or Right | 2 | Mill | £117.41 | | |
| Single | 1981 | 838 | Timber | Left or Right | 2 | RAL 9010 or 9006 | £124.14 | | |
| Single | 2040 | 926 | Timber | Left or Right | 3 | Mill | £124.04 | | |
| Single | 2040 | 926 | Timber | Left or Right | 3 | RAL 9010 or 9006 | £131.14 | | |
| Single | 2041 - 2400 | 926 | Timber | Left or Right | 3 | Mill | £137.88 | | |
| Single | 2041 - 2400 | 926 | Timber | Left or Right | 3 | RAL 9010 or 9006 | £145.78 | | |
| | 2401 - 2700 | 926 | Timber | Left or Right | 4 | Mill | £144.88 | | |
| Single | 2401 - 2700 | 926 | Timber | Left or Right | 4 | RAL 9010 or 9006 | £153.24 | | |
| Single Single | | | Timber | Reversible | 8 | Mill | £187.65 | | |
| - | 2401 - 2700 | 926 - 1852 | Timber | | | | | | |

| SINGLE GL | AZED DOOR FRA | ME KIT - CA658 G | ilass Door | Any frame size can be made please contact for price | | | | | |
|-------------|---------------|------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------|---------------|--|--|
| SINGLE GI | LAZED DOOR FI | RAME KIT GL | ASS DOORS | DOOR FRAME KITS FOR SINGLE GLAZED APPLICATION | | | | | |
| 12mm glass | | | | Use with 10mm or 12mm thick glass door. Kit includes mitred and cut hinge post, lock post and door head. Kit includes 2, 3, 4 or 8 hinges, strike plate and closing strip. Shoulder brackets and bottom fixing brackets also included. Top fixing kit supplied with full height doors. Door Frame section used is CA658 | | | | | |
| Door Leaves | Door Leaf Di | mensions mm | Door Type | Handing | Number of Hinges | Finish | Price per Kit | | |
| DOOI Leaves | Height | Width | Door Type | Handling | Number of Thinges | Timan | The per kit | | |
| Single | 1981 | 838 | Glass | Left or Right | 2 | Mill | £185.39 | | |
| Single | 1981 | 838 | Glass | Left or Right | 2 | RAL 9010 or 9006 | £192.49 | | |
| Single | 2040 | 926 | Glass | Left or Right | 3 | Mill | £226.73 | | |
| Single | 2040 | 926 | Glass | Left or Right | 3 | RAL 9010 or 9006 | £233.83 | | |
| Single | 2041 - 2400 | 926 | Glass | Left or Right | 3 | Mill | £240.56 | | |
| Single | 2041 - 2400 | 926 | Glass | Left or Right | 3 | RAL 9010 or 9006 | £248.93 | | |
| Single | 2401 - 2700 | 926 | Glass | Left or Right | 4 | Mill | £281.92 | | |
| Single | 2401 - 2700 | 926 | Glass | Left or Right | 4 | RAL 9010 or 9006 | £290.28 | | |
| Twin | 2401 - 2700 | 926 - 1852 | Glass | Reversible | 8 | Mill | £461.10 | | |
| Twin | 2401 - 2700 | 926 - 1852 | Glass | Reversible | 8 | RAL 9010 or 9006 | £470.64 | | |

| | | OP KIT - FA532 Ti | | — | Any frame size can | · · · · · · · · · · · · · · · · · · · | |
|----------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------|
| DOUBLE G | LAZED DOOR S | STOP KIT TI | ABER DOOR | [| DOOR STOP KITS FOR DO | UBLE GLAZED APPLICATI | ON |
| | mm Glass | | | Kit includes 2, 3, 4 or Door Stop section use | nd cut hinge post, lock po 8 hinges, strike plate and | d closing strip. | |
| oor Leaves | | mensions mm | Door Type | Handing | Number of Hinges | Finish | Price per Kit |
| | Height | Width | | | | | |
| Single | 1981 | 838 | Timber | Left or Right | | | |
| Surgie | | 000 | Tilliber | Left of Right | 2 | Mill | £87.78 |
| Single | 1981 | 838 | Timber | Left or Right | 2 | Mill RAL 9010 or 9006 | £87.78 £91.80 |
| - | 1981 2040 | | | | | | |
| Single | | 838 | Timber | Left or Right | 2 | RAL 9010 or 9006 | £91.80 |
| Single Single | 2040 | 838 926 | Timber Timber | Left or Right Left or Right | 2 | RAL 9010 or 9006 Mill | £91.80 £89.11 |
| Single Single Single | 2040 2040 | 838 926 926 | Timber Timber Timber | Left or Right Left or Right Left or Right | 2 3 3 | RAL 9010 or 9006 Mill RAL 9010 or 9006 | £91.80 £89.11 £99.14 |
| Single Single Single Single | 2040 2040 2041 - 2400 | 838 926 926 926 | Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right | 2 3 3 3 | RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill | £91.80 £89.11 £99.14 £97.31 |
| Single Single Single Single Single | 2040 2040 2041 - 2400 2041 - 2400 | 838 926 926 926 926 926 | Timber Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right Left or Right | 2 3 3 3 3 3 | RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 | f91.80 f89.11 f99.14 f97.31 f109.11 |
| Single Single Single Single Single Single | 2040 2040 2041 - 2400 2041 - 2400 2401 - 2700 | 838 926 926 926 926 926 926 | Timber Timber Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right | 2 3 3 3 3 3 4 | RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill | f91.80 f89.11 f99.14 f97.31 f109.11 f104.65 |

| DOUBLE GL | AZED DOOR ST | OP KIT - FA532 Gl | ass Door | | Any frame size car | n be made please co | ontact for price | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------------|-----------|---------------|-----------------------|-----------------------|------------------|--|--|
| DOUBLE GI | AZED DOOR S | GTOP KIT GL | ASS DOOR | [| DOOR STOP KITS FOR DO | UBLE GLAZED APPLICATI | ON | | |
| 6mm Glass Use with 10mm or 12mm glass door Kit includes mitred and cut hinge post, lock post and door head. Kit includes 2, 3, 4 or 8 hinges, strike plate and closing strip. Door stop section used is FA532 Use with CGD120 main post, and all Finesse sections. | | | | | | | | | |
| Door Leaves | Door Leaf Di Height | mensions mm Width | Door Type | Handing | Number of Hinges | Finish | Price per Kit | | |
| Single | 1981 | 838 | Glass | Left or Right | 2 | Mill | £146.78 | | |
| Single | 1981 | 838 | Glass | Left or Right | 2 | RAL 9010 or 9006 | £156.35 | | |
| Single | 2040 | 926 | Glass | Left or Right | 3 | Mill | £188.13 | | |
| Single | 2040 | 926 | Glass | Left or Right | 3 | RAL 9010 or 9006 | £197.69 | | |
| Single | 2041 - 2400 | 926 | Glass | Left or Right | 3 | Mill | £196.01 | | |
| Single | 2041 - 2400 | 926 | Glass | Left or Right | 3 | RAL 9010 or 9006 | £207.28 | | |
| Single | 2401 - 2700 | 926 | Glass | Left or Right | 4 | Mill | £237.35 | | |
| | 2401 - 2700 | 926 | Glass | Left or Right | 4 | RAL 9010 or 9006 | £248.63 | | |
| Single | | | | | | | | | |
| Single Twin | 2401 - 2700 | 926 - 1852 | Glass | Reversible | 8 | Mill | £411.61 | | |

| DOUBLE O | ILAZED DOOR | FRAME KIT | TIMBER DOOR | DOOR FRAME KITS FOR DOUBLE GLAZED APPLICATION | | | | |
|--------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|--|
| | 10mm Glass | | 4 | Kit includes 2, 3, 4 or Shoulder brackets an | nd cut hinge post, lock po 8 hinges, strike plate and d bottom fixing kit also so d with full height doors. | d closing strip. | | |
| | | | | | | | | |
| Door Leaves | | Dimensions mm | Door Type | Handing | Number of Hinges | Finish | Price per Kit | |
| Door Leaves | Height | Width | | | | - | | |
| Single | Height 1981 | Width 838 | Timber | Left or Right | 2 | Mill | £132.30 | |
| Single Single | Height 1981 1981 | Width 838 838 | Timber | Left or Right Left or Right | 2 2 | Mill RAL 9010 or 9006 | £132.30 £139.00 | |
| Single Single Single | Height 1981 1981 2040 | Width 838 838 926 | Timber Timber Timber | Left or Right Left or Right Left or Right | 2 2 3 | Mill RAL 9010 or 9006 Mill | £132.30 £139.00 £139.31 | |
| Single Single Single Single | Height 1981 1981 | Width 838 838 | Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 | f132.30 f139.00 f139.31 f146.00 | |
| Single Single Single Single Single | Height 1981 1981 2040 2040 | Width 838 838 926 926 | Timber Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 3 3 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill | f132.30 f139.00 f139.31 f146.00 f155.10 | |
| Single Single Single Single Single Single | Height 1981 1981 2040 2040 2041 - 2400 | Width 838 838 926 926 926 | Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 | f132.30 f139.00 f139.31 f146.00 | |
| Single Single Single Single Single | Height 1981 1981 2040 2040 2041 - 2400 2041 - 2400 | Width 838 838 926 926 926 926 926 | Timber Timber Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 3 3 3 3 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 | f132.30 f139.00 f139.31 f146.00 f155.10 f162.98 | |
| Single Single Single Single Single Single Single | Height 1981 1981 2040 2040 2041 - 2400 2041 - 2400 2401 - 2700 | Width 838 838 926 926 926 926 926 926 926 | Timber Timber Timber Timber Timber Timber Timber | Left or Right Left or Right Left or Right Left or Right Left or Right Left or Right | 2 2 3 3 3 3 3 4 | Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill RAL 9010 or 9006 Mill | f132.30 f139.00 f139.31 f146.00 f155.10 f162.98 f162.10 | |

| | | | D121 Glass Door | Any frame size can be made please contact for price | | | |
|-------------|--------------------------|---------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|---------------|
| DOUBLE G | LAZED DOOR | FRAME KIT | GLASS DOOR | D | OOR FRAME KITS FOR DO | DUBLE GLAZED APPLICAT | ΓΙΟΝ |
| - | 10mm Glass 12mm Glass | | | Use with 10mm or 12mm glass door Kit includes mitred and cut hinge post, lock post and door head. Kit includes 2, 3, 4 or 8 hinges, strike plate and closing strip. Shoulder brackets and bottom fixing kit also supplied. Top fixing kit supplied with full height doors. Door frame section used is CGD121. | | | |
| Door Leaves | Door Leaf | Dimensions mm | Door Type | Handing | Number of Hinges | Finish | Price per Kit |
| | Height | Width | | | - | | |
| Single | 1981 | 838 | Glass | Left or Right | 2 | Mill | £200.65 |
| Single | 1981 | 838 | Glass | Left or Right | 2 | RAL 9010 or 9006 | £207.34 |
| Single | 2040 | 926 | Glass | Left or Right | 3 | Mill | £242.00 |
| Single | 2040 | 926 | Glass | Left or Right | 3 | RAL 9010 or 9006 | £248.69 |
| Single | 2041 - 2400 | 926 | Glass | Left or Right | 3 | Mill | £257.78 |
| Single | 2041 - 2400 | 926 | Glass | Left or Right | 3 | RAL 9010 or 9006 | £265.66 |
| Single | 2401 - 2700 | 926 | Glass | Left or Right | 4 | Mill | £299.14 |
| Single | 2401 - 2700 | 926 | Glass | Left or Right | 4 | RAL 9010 or 9006 | £307.01 |
| Twin | 2401 - 2700 | 926 - 1852 | Glass | Reversible | 8 | Mill | £480.74 |
| Twin | 2401 - 2700 | 926 - 1852 | Glass | Reversible | 8 | RAL 9010 or 9006 | £489.73 |

| | | | - | | | | |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------|---------------------------------------------------------|-------------------------------------------------------------------|----------------------|---------------------|
| Part No. | Image | Range | Name | Description | Use With | Finish | Supplied Qty |
| Fixing Brad | ckets | | | | | | |
| CB20 | 0000 | All • • • | 90° Flat Angled fixing bracket | Steel | Use with Finesse, Crystal Single and Crystal Double glazed. | Zinc Plated | 10pc |
| CB40 | 0000 | All • • • | 3 Way "T" Plate | Steel | Use with Finesse, Crystal Single and Crystal Double glazed. | Zinc Plated | 10рс |
| CB60 | | All • • • | 90° Angled fixing bracket | Steel | Use with Finesse, Crystal Single and Crystal Double glazed. | Zinc Plated | 10рс |
| CB80 | 0 000 | All • • • | Flat Joining Strip | Steel | Use with Finesse, Crystal Single and Crystal Double glazed. | Zinc Plated | 10рс |
| FS750 | ····· | Finesse • | Fixing Bracket | Steel | Use with Drywall | Self finish | 500 1000 2000 |
| Board Clip | S | | | | | | |
| FS770 | and the second s | Finesse • | Board Clip (Tounge) | Steel | Use with Drywall panels | Self finish | each |
| FS780 | () | Finesse • | Board Clip (Angled) | Steel | Use with Drywall panels | Self finish | each |
| Door Parts | 5 | | | | | | |
| PATCH KIT | | | CRYSTAL SINGLE G | LAZED ONLY | | | |
| РТ20 | Ø | Crystal Single Glazed | Patch Kit | Glass Door Head Pivot Support Block and Pivot Pin | Use with CA620 and CA640 For Top Pivot fixed glass door. | Self finish | each |
| DOOR SEALS | | | | | | | |
| FD555 | | Doors | Acoustic Seal | Plastic | 2.1mtr | Black | ea |
| FD560 | | Doors | Intumescent Seal | Foam | 2.1mtr | Black | еа |
| Foam Tape | es | | | | | | |
| AS100 | 0 | All | Foam Seal | PVC / Foam | 4.5mm x 20mm x 15mtr | Grey | 25pc |
| AS200 | 0 | All | Foam Seal | PVC / Foam | 3mm x 16mm x 25mtr | Grey | 40pc |
| AS300 | 0 | All | Foam Seal | PVC / Foam | 12mm x 12mm x 6mtr | Black | 40pc |
| END CAP | | • | CRYSTAL SINGLE G | LAZED | | 25mm overall | |
| CA615 | | Crystal Single | 24mm x 24mm | Aluminium | Use with CA630 | Mill RAL9010 | 10 10 |
| | | Glazed | End Cap | | | RAL9006 Other RAL | 10 10 |

| Part No. | Image | Range | Name | Description | Use With | Finish | Supplied Length mtr |
|------------|---------------------------|------------|--------------------------------------|---------------------|-----------------------------------|---------------|---------------------|
| 10mm l Liı | ne Joints - 10.8mm availa | able on re | quest. | | | | |
| 10MM GLASS | 5 JOINT: I-LINE | • • • | IN LINE GLASS JOIN | IT | | | |
| CP600 | T | All | 10mm Glass two way dry joint | I -Line Glass Joint | Use with 10mm bevelled edge glass | Clear Plastic | 3.00 |
| 10MM GLASS | JOINT: I-LINE | • • • | 90° CORNER JOINT | | | | |
| CP610 | | All | 10mm Glass 90° Corner Joint | I -Line Glass Joint | Use with 10mm bevelled edge glass | Clear Plastic | 3.00 |
| 10MM GLASS | 5 JOINT: I-LINE | • • • | 90° ABUTTMENT | | | | |
| CP620 | | All | 10mm Glass 90° Abutment Joint | I -Line Glass Joint | Use with 10mm bevelled edge glass | Clear Plastic | 3.00 |
| 10MM GLASS | S JOINT: I-LINE | • • • | THREE WAY GLASS | JOINT | | | |
| CP630 | | All | 10mm Glass three way dry joint | I -Line Glass Joint | Use with 10mm bevelled edge glass | Clear Plastic | 3.00 |
| 10MM GLASS | S JOINT: I-LINE | • • • | THREE WAY GLASS | JOINT | | | |
| CP640 | | All | 10mm Glass three way dry joint | I -Line Glass Joint | Use with 10mm bevelled edge glass | Clear Plastic | 3.00 |
| 10MM GLASS | S JOINT: I-LINE | • • • | THREE WAY GLASS | JOINT | | | |
| CP650 | | All | 10mm Glass 135° two way dry joint | I -Line Glass Joint | Use with 10mm bevelled edge glass | Clear Plastic | 3.00 |

| 12mm I Liı | 12mm Line Joints - 12.8mm available on request. | | | | | | | | | | |
|------------|---------------------------------------------------|-------|--------------------------------------|---------------------|-----------------------------------|---------------|------|--|--|--|--|
| 12MM GLASS | JOINT: I-LINE | • • • | IN LINE GLASS JOIN | NT | | | | | | | |
| CP700 | T | All | 12mm Glass two way dry joint | I -Line Glass Joint | Use with 12mm bevelled edge glass | Clear Plastic | 3.00 | | | | |
| 12MM GLASS | JOINT: I-LINE | • • • | 90° CORNER JOINT | Ī | | | | | | | |
| CP710 | | All | 12mm Glass 90° Corner Joint | I -Line Glass Joint | Use with 12mm bevelled edge glass | Clear Plastic | 3.00 | | | | |
| 12MM GLASS | JOINT: I-LINE | • • • | 90° ABUTTMENT | | | | | | | | |
| CP720 | I | All | 12mm Glass 90° Abutment Joint | I -Line Glass Joint | Use with 12mm bevelled edge glass | Clear Plastic | 3.00 | | | | |
| 12MM GLASS | JOINT: I-LINE | • • • | THREE WAY GLASS JOINT | | | | | | | | |
| CP730 | | All | 12mm Glass three way dry joint | I -Line Glass Joint | Use with 12mm bevelled edge glass | Clear Plastic | 3.00 | | | | |
| 12MM GLASS | JOINT: I-LINE | • • • | IN LINE GLASS JOIN | NT | | | | | | | |
| CP740 | | All | 12mm Glass two way dry joint | I -Line Glass Joint | Use with 12mm bevelled edge glass | Clear Plastic | 3.00 | | | | |
| 10MM GLASS | JOINT: I-LINE | • • • | THREE WAY GLASS | JOINT | | | | | | | |
| CP750 | | All | 12mm Glass 135° two way dry joint | I -Line Glass Joint | Use with 12mm bevelled edge glass | Clear Plastic | 3.00 | | | | |

| Part No. | Image | Range | Name | Description | Use With | Finish | Supplied Length mtr |
|------------|--------------------------|-------|-----------------------------------|-----------------------|-------------------------------------------|---------------|---------------------|
| 10mm Clip | Line Joints - for square | | | | | | |
| 10MM GLASS | JOINT: CLIP LINE | • • • | IN LINE GLASS JOIN | IT | | | |
| CP400 | () | All | 10m Glass two way dry joint | Clip Line Glass Joint | Can be used with 12mm square end glass | Clear Plastic | 3.00 |
| 10MM GLASS | JOINT: CLIP LINE | • • • | THREE WAY GLASS | JOINT | | | |
| CP420 | | All | 10mm Glass three way dry joint | Clip Line Glass Joint | Can be used with 12mm square end glass | Clear Plastic | 3.00 |
| 10MM GLASS | JOINT: CLIP LINE | • • • | 90° CORNER JOINT | | | | |
| CP440 | | All | 10mm Glass 90° Corner Joint | Clip Line Glass Joint | Can be used with 12mm square end glass | Clear Plastic | 3.00 |
| 10MM GLASS | JOINT: CLIP LINE | • • • | 45° CORNER JOINT | | | | |
| CP460 | | All | 10m Glass 45° Corner Joint | Clip Line Glass Joint | Can be used with 12mm square end glass | Clear Plastic | 3.00 |

| 12mm Clip | 12mm Clip Line Joints - for square end glass. | | | | | | | | | | |
|---------------------------------------------------|-----------------------------------------------|-------|-----------------------------------|-----------------------|-------------------------------------------|---------------|------|--|--|--|--|
| 12MM GLASS JOINT: CLIP LINE IN LINE GLASS JOINT | | | | | | | | | | | |
| CP500 | | All | 12mm Glass two way dry joint | Clip Line Glass Joint | Can be used with 12mm square end glass | Clear Plastic | 3.00 | | | | |
| 12MM GLASS | 5 JOINT: CLIP LINE | • • • | THREE WAY GLASS | 5 JOINT | | | | | | | |
| CP520 | | All | 12mm Glass three way dry joint | Clip Line Glass Joint | Clear Plastic | 3.00 | | | | | |
| 12MM GLASS | 5 JOINT: CLIP LINE | • • • | 90° CORNER JOINT | Г | | | | | | | |
| CP540 | | All | 12mm Glass 90° Corner Joint | Clip Line Glass Joint | Can be used with 12mm square end glass | Clear Plastic | 3.00 | | | | |
| 12MM GLASS | 5 JOINT: CLIP LINE | • • • | 45° CORNER JOINT | Г | | | | | | | |
| CP560 | | All | 12mm Glass 45° Corner Joint | Clip Line Glass Joint | Can be used with 12mm square end glass | Clear Plastic | 3.00 | | | | |

| Gaskets | | | | | | | |
|--------------|----------------------------|-----------------------------|--------------------|---------------------------|-----------------------------------------------------------|---------------|-----------------------|
| 10 - 10.8mm | GLASS | • • • | GLASS GASKET FO | R 10.00 - 10.80mm Gl | ASS | | |
| CGD110 | S | All | Gasket | Tear of glazing gasket | Use with all Crystal Glazing sections | Clear Plastic | Supplied in 100m tub. |
| 12 - 12.8mm | GLASS | • • • | GLASS GASKET FO | R 12.00 - 12.80mm Gl | ASS | | |
| CGD120 | Solution | All | Gasket | Tear of glazing gasket | Use with all Crystal Glazing sections | Clear Plastic | Supplied in 200m tub. |
| 6.00 - 8.00M | M GLASS | • | MULLION GASKET | ILLION GASKET | | | |
| CGD190 | <u>7</u> 0 | Crystal Double Glazed | Mullion Gasket | Semi Rigid Clear UPVC | Use with all Crystal Double Glazed Glazing sections | Clear Plastic | 3.00 |
| 10.0 - 12.8m | 12MM GLASS | • | IN LINE GLASS JOIN | NT | | | |
| CGD194 | <u>()</u> | Crystal Double Glazed | Mullion Gasket | Semi Rigid Clear UPVC | Use with all Crystal Double Glazed Glazing sections | Clear Plastic | 3.00 |

| CGD180 Crystal Baced Multion Post Intermediate Multion Post Cap Mail 3.10 CGD180 Crystal Baced Multion Post Intermediate Multion Post Cap Use with CGD164 Multion Post Cap Mail 3.10 CGD162 Crystal Baced Crystal Multion Spacer Intermediate Vertical Multion Cap Use with CGD164 Multion Post Cap Crystal Multion Spacer Intermediate Vertical Multion Cap Use with CGD160 Multion Post Creat Cap State | Part No. | Image | Range | Name | Description | Use With | Finish | Supplied Length mtr |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|----------------------------|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------|---------------------|
| CGD180 Crystal Baced Multion Post Intermediate Multion Post Cap Mail 3.10 CGD180 Crystal Baced Multion Post Intermediate Multion Post Cap Use with CGD164 Multion Post Cap Mail 3.10 CGD162 Crystal Baced Crystal Multion Spacer Intermediate Vertical Multion Cap Use with CGD164 Multion Post Cap Crystal Multion Spacer Intermediate Vertical Multion Cap Use with CGD160 Multion Post Creat Cap State | Mullion Pa | arts - for mullion gaskets | see gask | ets section. | • | · · · · · · | | |
| CGD160 State Crystal Double Gizzet Multion Post Multion Post Use with CGD164 Multion Post Multion Post Multion Post Multion Post Multion Post Multion Post Multion Post Multion Post Multion Post Multion Post Multion Post Multion Post Multion Multion Post Multion Post Multion Multion Post Multion Multion Post Multion Multion Post Multion Multion Post Multion Multion Post Multion Multion Multion Post Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multion Multio | POST | | • | CRYSTAL DOUBLE | GLAZED | | | |
| CG0360 Participation Devide Gazet Multion Post Multion Post Intermediate Multion Post Multion Post One with CGD160 Other RAL Double ALS000 Other RAL POST C CRYSTAL DOUBLE CLZZD Crystal Double Gizzet Crystal DOUBLE CLZZD Crystal Double Gizzet Multion Spacer Double Gizzet Intermediate Version Full Control Control Crystal Double Gizzet Multion Spacer Clear VPVC Version Full Version Full Control Crystal Double Gizzet Multion Spacer Control Multion Spacer Control </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Mill</td> <td>3.10</td> | | | | | | | Mill | 3.10 |
| Multion Post Multion Post Multion Post Cap RAUGOS 3.10 COD 16 CMVSTAL DOUBLE GLAZED Intermediate Double Glazed CMVSTAL DOUBLE GLAZED Intermediate CCD 164 Cerr Vercel Multion Spacer Spacer Spacer Multion Spacer Spacer Multion Spacer Spacer Multion Spacer Mult | CGD160 | | - | Mullion Post | Intermediate | Use with CGD164 | RAL9010 | 3.10 |
| POST CONTRACT CONTRAL DOUBLE GLAZED CENTRAL CGD162 CGD162 CGD162 CGD162 CGD162 CGD162 CGD164 CGCT CGD16 CGD1 | CODIOO | | | Walloff Tost | Mullion Post | Mullion Post Cap | RAL9006 | 3.10 |
| Construction Crystal Deale (Cer UPVC Intermediate Vertical Nullion Spacer Use as an alternative to CGD160 Clear semi rigid UPVC 3.10 CGD162 Image: Cervital Double Glazed Crystal Double Glazed Mullion Spacer Mullion Cover Cover for internal Mullion Rost Use with CGD160 Ral9010 3.10 CGD164 Image: Cervital Double Glazed Mullion Cover Cover for internal Mullion Rost Use with CGD160 Ral9010 3.10 CGD166 Image: Cervital Double Glazed Mullion Rost Cover for internal Mullion Rost Use with CGD160 Ral9010 3.10 CGD166 Image: Cervital Double Glazed Mullion Rost Cover for internal Mullion Rost Use with CGD160 Ral9010 N/A CGD166 Image: Cervital Double Glazed Mullion Rost 45mm Use with CGD160 Ral9010 N/A CGD168 Image: Cervital Double Glazed Image: Cervital Double Glazed Mullion Rost 45mm Use with F920 Mull Mullion N/A CGD168 Image: Cervital Double Glazed Image: Cervital Double Glazed Mullion Rost 45mm Use with F920 Mullion | | | | | | | Other RAL | |
| CGD162 Double Glazed Double Glazed Courtical Wullion Spacer Vertical Wullion Spacer Courtical CGD160 Clazed Financial CGD160 Clazed Financial CGD160 Mullion Courtical Financial CGD160 Mullion Courtical Financial CGD160 Mullion Courtical Financial CGD160 Mullion Courtical Financial CGD160 Mullion Courtical Financial CGD160 Mullion Courtical Financial CGD160 Mullion Courtical Financial CGD160 Mullion Courtical CGD160 Mullion Courtical CGD160 Mullion Courtical Financial CGD160 Mullion Courtical CGD160 Mullion Courtical Courtical Courtinal COURCC Claused Courtical Courtical Courtical Courtinal Courtic | POST | 1 | • | CRYSTAL DOUBLE | GLAZED | 1 | | |
| CGD164 Trip Crystal Double Glazed Mullion Cover Glazed Cover for internal Mullion Post. Use with CGD100 Mullion Post. Mulli RAU3000 Mullion Post. MULLON ROD CLEAR UPVC MULLON GLAZING ROD Crystal Double Glazed CCLEAR UPVC MULLON GLAZING ROD Clear Plastic mullion Post. Use with CGD100 & CGD160 & CGD164 durinnium mullion post. Clear Plastic CGD160 & CGD164 durinnium mullion post. Mullion Ava CGD160 & Mullion Post. Clear Plastic CGD160 & Mullion Post. Mullion Ava CGD160 & Mullion Post. Mullion Ava Society Cole Clear Plastic Society Clear Clear Plastic Clear Plastic Society Clear Clear Plastic Clear Plastic Mullion Ava Society Clear Clear Plastic Mullion Post. Mullion Post. Mullion Post. N/A FINESSE INSECT SINGLE GLAZED Mullion Post. Single Clairing Clear Plastic Clear Plastic Mullion Post. Mullion Post. N/A FINESSE INSECT SINGLE GLAZED Single Clairing Clair Clear Plastic Clair Clear Plastic Clair Clear Plastic Clair Clear Plastic Clair Clear Plastic Clair Clair Clair Clair Clair Clear Plastic Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Clair Cla | CGD162 | | Double | | Vertical Mullion | | Clear semi rigid UPVC | 3.10 |
| CGD164 The Crystal Double Glazed Mullion Cover Blazed Cover for Internal Mullion Post. Use with CGD160 Mullion Post. RAL9010 RAL9006 3.10 3.10 MULLION ROD • CLEAR UPVC MULLION GLAZING ROD • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • | POST | | • | CRYSTAL DOUBLE | GLAZED | | | |
| GGD164 Double Giazed Multion Cover Cover for internal Multion Post Over Min Gub100 Nullion Post MULLION ROD CLEAR UPVC MULLION GLAZING FRO Nullion Post Nullion Post Nullion Post GGD166 Crystal Giazed Over Min Cub100 Status Multion Post Use with CGD160 & CGD164 alumnium multion post Clear Plastic GGD164 alumnium multion post Clear Plastic GGD164 alumnium multion post Clear Plastic GGD164 alumnium multion post Clear Plastic GGD160 & CGD164 alumnium multion post Multion Post Alumo Status GGD160 & GGD160 & GGD | | | Carala | | | | Mill | 3.10 |
| Mullion Post. Other RAL CGD166 Image: Control of the contr | CGD164 | 5 6 | - | Mullion Cover | | | RAL9010 | 3.10 |
| MULLION ROD © CLEAR UPVC MULLION GLAZING ROD CGD166 Crystal Double Mullion Rod Clear Plastic mullion gots CGD164 Administr BRACKET © CRYSTAL DOUBLE GLAZED CGD164 Mullion post and cover. CGD168 Mullion post and cover. Mullion post and cover. CGD164 Mullion post and cover. Mullion post and cover. Mullion post and cover. Mullion post and cover. Mullion Post Mullio | | | | | Mullion Post. | Mullion Post | RAL9006 | 3.10 |
| CGD166 Crystal Mullion Bod Clear Plastic mullion fod used to secure to mullion post and cover. Use with CGD160 & Clear Plastic Clear Plastic 3.00 BRACKET • CRYSTAL DOUBLE GAZED Mullion Bod Ket Gazed Mullion Bracket 45mm Use with CGD160 Mullion Post RAL9010 RaL9000 Mullion Post N/A CGD168 Finasse Finasse UPVC Finasse Gazed UPVC Finasse Single Giazing Glazed UPVC Finasse Single Giazing Glazing Ghazing Glazing Ghazing Glazed UPVC Finasse Single Giazing Glazing Ghazing Glazing Ghazing Glazed UPVC Finasse Single Giazing Glazing Ghazing Glazing Ghazing Glazing Ghazing Glazed UPVC Finasse Single Giazing Glazed UPVC F | ļ | | | | | | Other RAL | |
| CGD166 Crystal Mullion Rod Rod used to secure form - 12 args (a luminium mullion post, and cover. Clear Plastic 3.00 CGD168 Crystal Crystal Crystal Mullion Bracket 45mm Use with CGD160 RAL9006 N/A CGD168 Crystal Crystal Mullion Bracket 45mm Use with CGD160 RAL9006 N/A Einesse Inserts - Plastic Other RAL N/A N/A N/A N/A FINEsse Inserts - Plastic Einesse Inserts Finesse Single Glazing Chair Central glass panel Use with CGD160 RAL9006 N/A FINEsse Inserts - Plastic Einesse Inserts Finesse Single Glazing Chair Central glass for central Network Use with FP820 Black Grey 3.60 GLAZING CHAIR CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Use with FP820 Black Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Black Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Black Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for for orwing 6.8mm glass Grey | MULLION RO | D | • | CLEAR UPVC MUL | | | | |
| CGD168 Crystal Glazed Mullion Bracket 45mm Use with CGD160 Mullion Post Mill 45mm N/A Finesse Inserts - Plastic Million Bracket 45mm N/A GLAZING CHAIR CENTRAL UPVC FINESSE INSERT SINGLE GLAZED CENTRAL Black N/A FP800 Glazed Single Glazing Glazed UPVC FINESSE INSERT SINGLE GLAZED CENTRAL Black Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Use with FP820 Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Use with FP820 Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Bead Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED USe with FP800 for Grey Grey 3.60 GLAZING GRAD UPVC FINESSE INSERT SINGLE GLAZED USe with FP800 for Grey Grey 3.60 GLAZING CHAIR UPVC FINESSE INSERT SINGLE GLAZED USe with FP805 for Grey Grey 3.60 GLAZING CHAIR UPVC FINESSE INSERT SINGLE GLAZED USe with FP805 for Grey | CGD166 | | Double | Mullion Rod | Rod used to secure 6mm - 12.8mm glass | CGD164 aluminium | Clear Plastic | 3.00 |
| CGD168 Crystal Double Glazed Mullion Bracket Glazed 45mm Use with CGD160 Mullion Post RAL9010 RAL9006 N/A N/A FINESSE INSERT SINCLE GLAZED CENTRAL • UPVC FINESSE INSERT SINCLE GLAZED CENTRAL • FP800 Finesse Glazed Single Glazing Glazed UPVC FINESSE INSERT SINCLE GLAZED CENTRAL • FP800 Finesse Glazing Chair Glazed Single Glazing Chair Centrally located glass panel UPVC FINESSE INSERT SINCLE GLAZED • FP820 Finesse Glazing Chair Glazed Single Glazing Glazed UPVC FINESSE INSERT SINCLE GLAZED Black FP820 Finesse Glazing Chair Glazed UPVC FINESSE INSERT SINCLE GLAZED • • FP820 Finesse Glazing Glazing Glazed UPVC FINESSE INSERT SINCLE GLAZED • • FP820 Finesse Glazed Single Glazing Glazed UPVC Glazing Chair for Offset Glass panel UPVC Glazing Chair for Offset Glass panel UPVC Glazing Chair for Obuble Clazed Double Glazing Glazed UPVC Glazing Chair for Obuble Clazed Double Glazing Glazed UPVC FINESSE INSERT SINCLE GLAZED • FP870 Impendent UPVC FINESSE INSERT SINCLE GLAZED UPVC Glazing Chair for Obuble Clazed Double Glazing Double Glazing Glazed UPVC FINESSE INSERT SINCLE GLAZED • FP870 Impendent UPVC FINESSE INSERT SINCLE GLAZED UPVC Glazing Chair for Obuble Glazed dapplication with | BRACKET | | • | CRYSTAL DOUBLE | GLAZED | - | | |
| CGD168 Double Giazed Multion Bracket 45mm Use with CGD160 Multion Post RAL9000 RAL9000 Other RAL N/A Finesse Inserts - Plastic • UPVC FINESSE INSERT SINGLE GLAZED CENTRAL • Black N/A Finesse Single Glazed Single Glazing Chair Central glass panel UPVC FINESSE INSERT SINGLE GLAZED CENTRAL Black Black Grey 3.60 GLAZING CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP820 Black Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Bead single glass 6.0mm or 6.8mm panel Use with FP820 Black Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Bead single glass 6.0mm or 6.8mm panel Use with FP830 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED Use with FP830 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED Use with FP830 for 8.0mm or 8.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED USe w | | 00 | Crustal | | | | Mill | 45mm |
| Image: Control of the system of the syste | CGD168 | 1~1 | | Mullion Bracket | 45mm | | RAL9010 | N/A |
| Finesse Inserts - Plastic • GLAZING CHAIR CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED CENTRAL FP800 Finesse Single Glazing Glazed UPVC FINESSE INSERT SINGLE GLAZED CENTRAL GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Black FP820 • UPVC FINESSE INSERT SINGLE GLAZED White FP820 Finesse Single Glazing Glazed UPVC FINESSE INSERT SINGLE GLAZED Black GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Bead centrally located infratel glass 6.0mm on 6.8mm panel Use with FP800 Black FP820 • UPVC FINESSE INSERT SINGLE GLAZED USe with FP800 Grey 3.60 GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED USe with FP800 for 6.8mm panel Single Glazing 0rith FP880 for 8.0mm or 8.8mm glass Black Grey 3.60 GLAZING CHAIR UPVC FINESSE INSERT SINGLE GLAZED UPVC FINESSE INSERT SINGLE GLAZED UPVC FINESSE INSERT SINGLE GLAZED Single Glazing 0rith FP8850 for 6.0mm or 8.8mm glass Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED UPVC FINESSE INSERT SINGLE GLAZED UPVC FINESSE INSERT SINGLE GLAZED | | | Glazed | | | Mullion Post | RAL9006 | |
| GLAZING CHAIR CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED CENTRAL FP800 Finesse Glazed Single Glazing Chair Central glass panel UPVC Glazing Chair for centrally located single glass 6.0mm or 6.8mm panel Use with FP820 Black Grey 3.60 SLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Bead centrally located single glass 6.0mm or 6.8mm panel Use with FP820 Black Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 for 6.8mm panel Use with FP800 for 6.0mm & 6.8mm glass or with FP850 for some or 8.8mm glass or with FP855 for 8.0mm or 8.8mm glass or with FP850 for 8.0mm or 8.8mm glass for the | | ч <i>Р</i> | | | | | Other RAL | N/A |
| FP800 Finesse Single Glazed Single Glazing Chair Central glass panel UPVC Glazing Chair for centrally located single glass Champ G.Ram panel Use with FP820 Black Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED • UPVC Glazing Chair for 6.8mm panel Use with FP820 Black Grey 3.60 FP820 Finesse Glazed Single Glazing Glazed Single Glazing Glazed UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 for 6.0mm & 6.8mm glass or with FP850 for Single glass Black Black 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Offset Iocated single glass Use with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Obuble Glazed Use with FP850 for 0.0mm & 8.8mm glass Black Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 0.0mm & 8.8mm glass Black Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 0.0mm & 8.8mm glass Black Grey 3.60 FP890 • | Finesse Ins | serts - Plastic | • | | | | | |
| FP800 Finesse Single Glazed Single Glazing Chair Central glass panel UPVC Glazing Chair for centrally located single glass Champ G.Ram panel Use with FP820 Black Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED • UPVC Glazing Chair for 6.8mm panel Use with FP820 Black Grey 3.60 FP820 Finesse Glazed Single Glazing Glazed Single Glazing Glazed UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 for 6.0mm & 6.8mm glass or with FP850 for Single glass Black Black 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Offset Iocated single glass Use with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Obuble Glazed Use with FP850 for 0.0mm & 8.8mm glass Black Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 0.0mm & 8.8mm glass Black Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 0.0mm & 8.8mm glass Black Grey 3.60 FP890 • | GLAZING CHA | AIR CENTRAL | | LIPVC FINESSE INS | ERT SINGLE GLAZED C | ENTRAL | | |
| FP800 Fmesse Glazed Single Glazed Office central glass panel Office central participation Office central participation Use with FP820 Greey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>Black</td><td></td></td<> | | | | | | | Black | |
| Glazed glass panel single glass bolm or 6.8m panel White GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Black Black FP820 Finesse Single Single Glazing Glazed UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Black GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Black GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6 offset located single glass Black Black FP880 Finesse Single Glazed Single Glazing Offset glass panel UPVC Glazing Chair for Offset located single glass Use with FP850 for 6.0mm & 6.8mm glass or with FP850 for 8.0mm or 8.8mm glass or with FP850 for 8.0mm or | FP800 | FL | | ~ ~ | · · | Use with FP820 | | 3.60 |
| GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Black 3.60 FP820 Finesse Single Glazing Glazed UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP800 Grey 3.60 FP880 • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass or with FP851 for 8.0mm or 8.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 8.0mm or 8.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 FP890 • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass Black 3.60 FP850 • UPVC FINESSE INSERT | | | | | | | | |
| FP820 Single Glazing Glazed Single Glazing Bead Central glass panel centrally located single glass 6.0mm Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass Black Black 3.60 FP880 • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Black 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Black 3.60 FP870 • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Black 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Black 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Black 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Grey 3.60 GLAZING GEAD • UPVC FINESSE INSERT SINGLE GLAZED USe with FP870, FP880 Black 3.60 FP850 Finesse Double Finesse Blads Outer Gla | GLAZING BEA | AD CENTRAL | • | UPVC FINESSE INS | | | | |
| FP820 Single Glazed Bead Central glass ead Central glass single glass 6.0mm or 6.8mm panel Use with FP800 Grey 3.60 GLAZING BEAD CENTRAL • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for Glazed Gomm & 6.8mm glass or with FP850 for Glazed Gomm & 6.8mm glass or with FP850 for B.0mm or 8.8mm glass Black Grey 3.60 FP880 • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for Glazed Gomm & 6.8mm glass or with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 FP870 • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Black Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850 for 6.0mm & 6.8mm glass Grey 3.60 FP890 • UPVC FINESSE INSERT SINGLE GLAZED USe with FP850, FP850 for Double Glazed USe with FP850, FP850 for Double Glazed Black Grey 3.60 FP850 | | 1 | Finesse | Single Glazing | | | Black | |
| Glazed panel or 6.8mm panel White GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass or with FP850 for 8.0mm or 8.8mm glass Black Grey 3.60 FP880 Finesse Single Glazed Single Glazing Offset glass panel UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Offset located single glass Use with FP850 for 8.0mm or 8.8mm glass Black Grey 3.60 GLAZING CHAIR UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed application UPVC Glazing Chair for Double Glazed application UPVC Glazing Chair for Double Glazed application Black Grey 3.60 GLAZING CHAIR BLINDS UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed application with Internal Venetian Blinds UPVC Glazing Chair for Double Glazed application with Internal Venetian Blinds UPVC Glazing Chair for Double Glazed UPVC Glazing Chair for Double Glazed UPVC Glazing Chair for Double Glazed Somm or 8.8mm glass or with FP850 for for Double Glazed Some or 8.8mm glass or with FP850 for for Double Glazed Some or 8.8mm glass or with FP870, FP880 Black FP850 Image of Blands UPVC FINESSE INSERT SINGLE GLAZED UPVC Clarer Glazing bainds UPVC | FP820 | | | | | Use with FP800 | Grey | 3.60 |
| GLAZING BEAD CENTRAL UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass Black FP880 Finesse Single Glazed Single Glazing Offset glass panel UPVC Glazing Chair for Offset located single glass Use with FP850 for 8.0mm or 8.8mm glass Black 3.60 GLAZING CHAIR UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed UPVC Glazing Chair for Double Glazed USe with FP850 for 8.0mm or 8.8mm glass Black 6.0mm & 6.8mm glass Grey 3.60 GLAZING CHAIR UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed USe with FP850 for 8.0mm or 8.8mm glass Grey 3.60 GLAZING CHAIR BLINDS UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed Use with FP850 for 6.0mm & 6.8mm glass Grey 3.60 FP890 Finesse Double Glazed Double Glazing Chair With Internal Venetian UPVC Clazing Chair for Double Glazed application with internal Blinds Use with FP850 for 6.0mm or 8.8mm glass Mite 3.60 OUTER GLAZING BEAD UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass Use with FP870, FP880 & Grey Grey 3.60 OUTER GLAZING BEAD UPVC FINESSE INSERT SINGLE GLAZED UPV | | / | Glazed | panel | | | White | |
| FP880 Finesse Single Glazing Grey Single Glazing Single Glazing Offset glass panel UPVC Finesse ingle glass 6.0mm & 6.8mm glass or with FP885 for 8.0mm or 8.8mm glass Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed application UPVC Glazing Chair for Double Glazed application UPVC Glazing Chair for Double Glazed application Use with FP850 for 6.0mm & 6.8mm glass or with FP850 for 8.0mm or 8.8mm glass Black 3.60 GLAZING CHAIR BLINDS UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed application with Internal Blinds UPVC Glazing Chair for Double Glazed application with Internal Blinds USe with FP850 for 6.0mm & 6.8mm glass Black FP890 Finesse Double Glazed Double Glazing Chair With Internal Venetian glass panel UPVC Glazing Chair for Double Glazed application with internal Blinds USe with FP850 for 6.0mm & 6.8mm glass Black OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC FINESSE INSERT SINGLE GLAZED 3.60 FP850 Finesse Outer Glazing glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Black Grey 3.60 OUTER GLAZING BEAD UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel | GLAZING BEA | AD CENTRAL | • | UPVC FINESSE INS | | | | |
| FP880 Single Glazed Single Offset glass panel Single Glazing Offset glass panel for Offset located single glass for Offset located single glass b.// or with FP885 for 8.0mm or 8.8mm glass Grey 3.60 GLAZING CHAIR • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 6.0mm & 6.8mm glass Black 6/0mm & 6.8mm glass Grey 3.60 FP870 finesse Double Glazed Double Glazing Chair UPVC Glazing Chair for Double Glazed application Use with FP850 for 8.0mm or 8.8mm glass Black 6/0mm & 6.8mm glass Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED Use with FP850 for 8.0mm or 8.8mm glass Black 6/0mm & 6.8mm glass Grey 3.60 FP890 finesse Double Glazed Finesse Double Glazing Chair With Internal Blinds UPVC Glazing Chair for Double Glazed application with Blinds Use with FP850 for 8.0mm or 8.8mm glass Black 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Black Grey 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Bead single glass 6.0mm or 6.8mm Black Grey 3.60 FP855 finesse Finesse Outer Glazing Bead for Singl | | | Finesse | | UPVC Glazing Chair | | Black | |
| Glazed single glass 8.0mm or 8.8mm glass White GLAZING CHAIR Image: the stress of the s | FP880 | | Single | | | - | Grey | 3.60 |
| FP870 Finesse Double Glazed Double Glazing Chair UPVC Glazing Chair for Double Glazed application Use with FP850 for 0.0mm & 6.8mm glass or with FP885 for 8.0mm or 8.8mm glass Black GLAZING CHAIR BLINDS UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed UPVC Glazing Chair for Double Glazed UPVC Glazing Chair for Double Glazed Use with FP885 for 8.0mm or 8.8mm glass Grey 3.60 FP890 Finesse Double Glazed Double Glazing Chair With Internal Venetian Blinds UPVC Glazing Chair for Double Glazed application with internal Blinds Use with FP850 for 6.0mm & 6.8mm glass Black 3.60 OUTER GLAZING BEAD UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass UPVC Outer Glazing Bead for Single Black Black | | ۲ ۲ <u>ـ</u> | Glazed | Onset Blass parter | single glass | | White | |
| FP870 Double Glazed Double Glazing Chair Duble Glazing for Double Glazed application UPVC Glazing Chair for Double Glazed application 6.0mm & 6.8mm glass or with FP885 for 8.0mm or 8.8mm glass Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Chair for Double Glazed application with internal Blinds USe with FP850 for 6.0mm & 6.8mm glass Black 6.0mm & 6.8mm glass 3.60 FP890 Image: Chair Single Glazed Double Glazing Chair With Internal Venetian Blinds UPVC Glazing Chair for Double Glazed application with internal Blinds Use with FP850 for 8.0mm or 8.8mm glass Black 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Black Grey 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel Black Grey 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single UPVC Outer Glazing Bead for Single Black Grey 3.60 FP855 Finesse Outer Glazing Bead for Single UPVC Outer Glazing Bead for Single UPVC Outer Glazing Bead for Single UPVC Outer Gla | GLAZING CH | AIR | • | UPVC FINESSE INS | ERT SINGLE GLAZED | | | |
| FP870 Double Glazed Double Glazed Chair Tor Double Glazed application or with FP885 for 8.0mm or 8.8mm glass Grey 3.60 GLAZING CHAIR BLINDS • UPVC FINESSE INSERT SINGLE GLAZED or with FP850 for 6.0mm & 6.8mm glass Black Black FP890 Image: Chair With Glazed Double Glazing Chair With Internal Venetian Blinds UPVC Glazing Chair for Double Glazed application with Internal Blinds Use with FP850 for 8.0mm or 8.8mm glass Black 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Black 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED Use with FP870, FP880 & Grey Black OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED 3.60 FP855 • UPVC FINESSE INSERT SINGLE GLAZED 5.00m or 6.8mm 6.0mm or 6.8mm FP855 • UPVC FINESSE INSERT SINGLE GLAZED 5.00m 5.00m FP855 • UPVC FINESSE INSERT SINGLE GLAZED 5.00m 5.00m | | | Finesse | Double Glazing | | | Black | |
| Glazed application 8.0mm or 8.8mm glass GLAZING CHAIR BLINDS UPVC FINESSE INSERT SINGLE GLAZED FP890 Image: Chair With Glazed Double Glazing Chair With Internal Venetian Blinds UPVC Glazing Chair for Double Glazed application with internal Blinds Use with FP850 for 6.0mm & 6.8mm glass Black OUTER GLAZING BEAD Image: Chair With Internal Venetian Blinds UPVC FINESSE INSERT SINGLE GLAZED UPVC FINESSE INSERT SINGLE GLAZED 3.60 FP850 Image: Chair With Internal Venetian Blinds UPVC FINESSE INSERT SINGLE GLAZED UPVC Clazing Bead for Single glass for 0.0mm or 8.8mm glass Black 3.60 FP850 Image: Chair With Internal Venetian Blinds UPVC Clazing Bead for Single glass for 0.0mm or 6.8mm UPVC Clazing Bead single glass for 0.0mm or 6.8mm Black 3.60 OUTER GLAZING BEAD Image: Chair With Internal Venetian Blinds UPVC Cluzer Glazing Bead single glass for 0.0mm or 6.8mm UPVC FINESSE INSERT SINGLE GLAZED Black 3.60 OUTER GLAZING BEAD Image: Chair With Internal Venetian Blinds UPVC FINESSE INSERT SINGLE GLAZED Black 3.60 FP855 Image: Chair With Internal Venetian Blinds Image: Chair With Internal Venetian Blinds UPVC Glazing Bead single glass Black 3.60 FP855 Image: Chair With Internal Venetian Blinds Image: Chair With Internal Venetian Blinds UPVC Glazing Bead Single gla | FP870 | | | | | - | Grey | 3.60 |
| FP890 Double Glazing Double Glazed Double Glazing Chair With Internal Venetian Blinds UPVC Glazing Chair for Double Glazed application with internal Blinds Use with FP850 for 6.0mm & 6.8mm glass or with FP885 for 8.0mm or 8.8mm glass Black 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single Bead for Single UPVC Outer Glazing Bead for Single Bead for Single Bead for Single Bead for Single UPVC Outer Glazing Bead for Single Bead for Single UPVC Outer Glazing Bead for Single Use with FP870, FP880 & FP890 Black 3.60 | | | Glazed | | | | | |
| FP890 Finesse Chair With Internal Venetian Binds for Double Glazed application with internal Blinds 6.0mm & 6.8mm glass or with FP885 for 8.0mm or 8.8mm glass 3.60 OUTER GLAZING BEAD Outer Glazing Bead for Single glass panel Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel Black 3.60 OUTER GLAZING BEAD Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel Black 3.60 OUTER GLAZING BEAD Outer Glazing glass panel UPVC Outer Glazing Bead for Single Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black 3.60 FP855 Finesse Outer Glazing Bead for Single UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black 3.60 | | AIR BLINDS | • | | | lise with ED850 for | | |
| FP890 Double Glazed Internal Venetian Blinds application with internal Blinds or with FP885 for 8.0mm or 8.8mm glass Model 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED or with FP8870, FP880 glass panel White 3.60 FP850 • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single Bead for Single Black 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED Use with FP870, FP880 & FP890 Black 3.60 OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black 3.60 FP855 • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black 3.60 | GLAZING CHA | - | | | | USE WILLI FRODU IUI | Black | |
| OUTER GLAZING BEAD UPVC FINESSE INSERT SINGLE GLAZED FP850 UPVC FINESSE INSERT SINGLE GLAZED FP850 Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black OUTER GLAZING BEAD UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single Bead for Single Bead for Single UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black FP855 Finesse Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black | | | | - | - | 6.0mm & 6.8mm glass | Brack | |
| FP850 Outer Glazing Bead for Single glass panel UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & FP890 Black OUTER GLAZING BEAD Image: Comparison of the system of the system Image: Comparison of the system I | | | Double | Chair With Internal Venetian | for Double Glazed application with | or with FP885 for | | 3.60 |
| FP850 Finesse Finesse Grey glass panel UPVC Finesse Bead single glass 6.0mm or 6.8mm Use with FP870, FP880 & Grey White Grey White OUTER GLAZING BEAD • UPVC FINESSE INSERT SINGLE GLAZED UPVC Outer Glazing Bead for Single S | FP890 | | Double Glazed | Chair With Internal Venetian Blinds | for Double Glazed application with internal Blinds | or with FP885 for | | 3.60 |
| Image: space of the system Image: space of the system <td>FP890</td> <td></td> <td>Double Glazed</td> <td>Chair With Internal Venetian Blinds UPVC FINESSE INS</td> <td>for Double Glazed application with internal Blinds ERT SINGLE GLAZED</td> <td>or with FP885 for 8.0mm or 8.8mm glass</td> <td>White</td> <td>3.60</td> | FP890 | | Double Glazed | Chair With Internal Venetian Blinds UPVC FINESSE INS | for Double Glazed application with internal Blinds ERT SINGLE GLAZED | or with FP885 for 8.0mm or 8.8mm glass | White | 3.60 |
| OUTER GLAZING BEAD UPVC FINESSE INSERT SINGLE GLAZED FP855 Outer Glazing Finesse Outer Glazing Bead for Single glass annel UPVC Outer Glazing Bead single glass 6 Omm or 6 8mm Use with FP870, FP880 & FP890 Black Grey 3.60 | FP890 OUTER GLAZ | | Double Glazed | Chair With Internal Venetian Blinds UPVC FINESSE INS Outer Glazing | for Double Glazed application with internal Blinds ERT SINGLE GLAZED UPVC Outer Glazing | or with FP885 for 8.0mm or 8.8mm glass Use with FP870, FP880 | White Black | |
| FP855 Outer Glazing UPVC Outer Glazing Use with FP870, FP880 Black Grey 3.60 | FP890 OUTER GLAZ | | Double Glazed | Chair With Internal Venetian Blinds UPVC FINESSE INS Outer Glazing Bead for Single | for Double Glazed application with internal Blinds ERT SINGLE GLAZED UPVC Outer Glazing Bead single glass | or with FP885 for 8.0mm or 8.8mm glass Use with FP870, FP880 | White Black Grey | |
| FP855 Finesse Bead for Single Bead single glass Ose with FP870, FP880 Grey 3.60 | FP890 OUTER GLAZ FP850 | | Double Glazed • Finesse | Chair With Internal Venetian Blinds UPVC FINESSE INS Outer Glazing Bead for Single glass panel | for Double Glazed application with internal Blinds ERT SINGLE GLAZED UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm | or with FP885 for 8.0mm or 8.8mm glass Use with FP870, FP880 | White Black Grey | |
| | FP890 OUTER GLAZ FP850 | | Double Glazed • Finesse | Chair With Internal Venetian Blinds UPVC FINESSE INS Outer Glazing Bead for Single glass panel UPVC FINESSE INS | for Double Glazed application with internal Blinds ERT SINGLE GLAZED UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm ERT SINGLE GLAZED | or with FP885 for 8.0mm or 8.8mm glass Use with FP870, FP880 & FP890 | White Black Grey White | |
| glass parer 0.0mm of 0.0mm of 0.0mm White | FP890 OUTER GLAZ FP850 OUTER GLAZ | | Double Glazed Finesse | Chair With Internal Venetian Blinds UPVC FINESSE INS Outer Glazing Bead for Single glass panel UPVC FINESSE INS Outer Glazing | for Double Glazed application with internal Blinds ERT SINGLE GLAZED UPVC Outer Glazing Bead single glass 6.0mm or 6.8mm ERT SINGLE GLAZED UPVC Outer Glazing | or with FP885 for 8.0mm or 8.8mm glass Use with FP870, FP880 & FP890 Use with FP870, FP880 | White Black Grey White Black | 3.60 |

| Part No. | Image | Range | Name | Description | Use With | Finish | Supplied Length mtr |
|-------------|----------------------------|---------|-------------------------|-------------|------------------------------|-------------|---------------------|
| C Stud - Mo | ore Sizes available to ord | er | | | | | |
| C STUD | | • • • | | | | | |
| FS700 | | All | 48mm Stud | Steel | Use with Drywall panels | Galv | 3.00 |
| C STUD | | • • • | | | | | |
| FS708 | | All | 70mm Stud | Steel | Use with Drywall panels | Galv | 3.00 |
| Track - Mor | re sizes available to orde | r | | | | | |
| TRACK | | • • • | | | | | |
| FS720 | | All | 50mm Track 25mm Deep | Steel | Use with Drywall panels | Galv | 3.00 |
| TRACK | | • • • | | | | | |
| FS725 | | All | 50mm Track 50mm Deep | Steel | Use with Drywall panels | Galv | 3.00 |
| TRACK | | • • • | | | | | |
| FS728 | | All | 72mm Track 25mm Deep | Steel | Use with Drywall panels | Galv | 3.00 |
| Channel | | | | | | | |
| CHANNEL | | • • • | | | | | |
| FS710 | | All | 48mm Channel | Steel | Use with Drywall panels | Galv | 3.00 |
| CHANNEL | | • • • | | | | | |
| FS715 | | All | 43mm Channel | Steel | Use with Drywall panels | Galv | 3.00 |
| CHANNEL | | • • • | | | | | |
| FS741 | | All | 75mm Channel | Steel | Use with Drywall panels | Galv | 3.00 |
| Finesse Fir | e Angle & Clamping Stri | p | | | | | |
| ANGLE | | • • • | | | | | |
| FS730 | | Finesse | 15mm x 19mm Angle | Steel | Use with Drywall panels | Self finish | 3.00 |
| ANGLE | | • | | | | | · |
| FS735 | | Finesse | 15mm x 9mm Angle | Steel | Use with Drywall panels | Self finish | 3.00 |
| CLAMPING ST | RIP | • | | | | | |
| FS745 | | Finesse | Clamping Strip | Steel | Use with FA690 Cover Trim | Self finish | 3.00 |